

INDEX MAPS.

T. 4 N. R. 11 E. 2nd Mer.

	360		361		361		361		361		362	
	363		363		363		362		362			
365	6	373	5	382	4	381	3	380	2	379	1	360
	383		383		382		381		380		379	
365	7	382	8	381	9	381	10	380	11	379	12	360
	379		378		376		374		372		371	
364	18	378	17	376	16	374	15	372	14	371	13	359
	378		377		375		374		372		370	
364	19	377	20	375	21	373	22	371	23	370	24	359
	377		377		375		373		370		367	
363	30	376	29	374	28	373	27	369	26	366	25	358
	369		369		368		365		367		366	
363	31	369	32	368	33	368	34	367	35	366	36	358
	357		357									358
						</						

Ohio R.

T. 5 N. R. 11 E. 2nd Mer.

	390	390	390	391	391	391						
	393	393	392	392	392							
396	6	414	5	409	4	406	3	403	2	402	1	390
	414	414	409	406	402	402						
395	7	413	8	409	9	406	10	402	11	401	12	389
	413	413	408	405	401	400						
395	18	412	17	408	16	405	15	401	14	399	13	389
	412	412	408	404	400	399						
394	19	411	20	408	21	404	22	400	23	399	24	388
	411	411	407	404	399	397						
394	30	410	29	407	28	404	27	398	26	397	25	388
	410	410	407	403	398	397						
393	31	410	32	406	33	403	34	398	35	396	36	387
	385	385	385	385	385	386						
	387	387	387	388								

The figures on the lines refer to the page.

Township N. 4 North, Range N. 11 E. 2. Mer. Indiana 357
ch. 2. lks

South Boundary. var. 5.50' E.
East On S. boundary of Sec. 31
8.50 a W. Oak 36 in. dia.
26.75 a Hackberry 16 " "
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bray N 84 W 13 lks. dist. of
a Mulberry 6 " " " N 66 E 25 " "
50.00 a Creek 50 lks wide Cr. S.
58.50 a Brook 5 " " " S. W.
64.80 a Hickory 15 in. dia.
80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 16 in. dia. bray N 70 W 20 lks. dist. of
a Sugar 14 " " " N 70 E 40 " "
Hilly rich land, timber Sugar, Walnut, Oak
Hickory &c.

East On S. boundary of Sec. 32
34.25 a Blue Oak 18 in. dia.
40.00 Set q. Sec. post, from which
a Mulberry 9 in. dia. bray N 83 E 8 lks. dist. of
an Elm 7 " " " N 73 W 8 " "
45.00 Set post on bank of the Ohio River, from which
an Elm 10 in. dia. bray N 85 E 14 lks. dist. of
a Pecimmon 10 " " " S 36 W 25 " "
Steep sidling ground, timber Sugar, Elm &c.
Note. - The direction of our Town line only
cuts a bend of the River, I therefore thought it
best to meander the River until we fall into
our line above the bend.

East On S. boundary of Sec. 35
61.00 leave the River Set post, from which
a W. Oak 20 in. dia. bray S 71 W 13 lks. dist. of
a Gum 12 " " " N 57 E 11 " "
80.00 Set post Cor. to Sec. 35 & 36, from which
an Elm 30 in. dia. bray N 50 W 8 lks. dist. of
a Sugar 8 " " " S 82 E 25 " "

Sp. N. W. C. 2^d Mer. Indiana ch. lly

Note - The Cor. to Sec. 35 & 36, stand 19.00 ch.
E. of post on the river bank. Sept. 1st 1806

East On S. boundary of Sec. 36

11.75 a Hickory 18 in. dia.

15.00 a Brook 4 lth. wide Comae S.

40.00 At gr. See post, from which
a W. Oak 12 in. dia. bear N 86° W 14 lth. dist. of
a H. Locust 30 " " " 186° E 26 " "

52.00 a Lycamore 18 " "

55.00 enter a swamp

64.00 E. side of swamp

80.00 At post Cor. to Township 3 & 4 North, of
Range 11 & 12 East, from which
a Beech 30 in. dia. bear N 11° W 8 lth. dist. of
a Do. 12 " " " 182° E 39 " "
First 1/2 mile steep, hilling ground, Sugar, Ash &c.
last 1/2 rich bottom land, Sugar, Beech, Oak &c.

East Boundary

September 3rd 1806. variation 5° 50' E

North On E. boundary of Sec. 36

14.00 an Ash 16 in. dia.

17.00 a Brook 4 lth. wide Comae E.

40.00 At gr. See post, from which
a Beech 16 in. dia. bear S 58° E 43 lth. dist. of
an Elm 16 " " " 146° W 28 " "

56.00 a Creek 400 lth. wide C. S. E.

76.00 a Do. 400 " " " S. W.

80.00 At post Cor. to Sec. 25 & 36, from which
a Hackberry 12 in. dia. bear N 64° W 59 lth. dist. of
a Hickory 10 " " " East 41 " "
Rich bottom land, timber, Ash, Elm &c

North On E. boundary of Sec. 25

18.00 a Creek 400 lth. wide Comae S. E.

Map N. C. W. E. 2^d Mer. Indiana 359

ch. lky

- 31.00 a Hackberry 14 in. dia.
 40.00 Set gr. Sec. post, from which
 an Iron 7 in. dia. bray N 65 W 9 ft. dist. of
 an Ash 6 " " " N 43 E 13 "
 61.00 an Ash 15 " "
 67.00 a Creek 50 ft. wide C. & W.
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a Sugar 10 in. dia. bray N 56 W 14 ft. dist. of
 a Do. 6 " " " S 70 E 12 "
 Rich bottom land, timber Sugar, Ash, Elm &c.

North On E. boundary of Sec. 24

- 33.00 a Brook 3 ft. wide C. & E.
 33.70 an Ash 16 in. dia.
 40.00 Set gr. Sec. post, from which
 a Thorn 5 in. dia. bray East 1 ft. dist. of
 an Ash 30 " " " S 21 W 40 "
 47.50 a Brook 3 ft. wide Course E.
 48.40 a Locust 24 in. dia.
 71.80 a C. Oak 48 " "
 80.00 Set post Cor. to Sec. 13 & 24 from which
 a Hickory 8 in. dia. bray S 55 E 17 ft. dist. of
 an Elm 9 " " " S 84 W 32 "
 All rich land, timber Sugar, Ash &c.

North On E. boundary of Sec. 13

- 14.00 a Brook 3 ft. wide Course W.
 15.00 a Hickory 12 in. dia.
 33.00 a Brook 15 ft. wide C. & W.
 40.00 Set gr. Sec. post, from which
 a Sugar 9 in. dia. bray S 28 E 24 ft. dist. of
 a Poplar 36 " " " S 58 W 39 "
 50.00 a Brook 4 ft. wide Course W.
 65.20 a Beech 24 in. dia.
 71.00 a Brook 4 ft. wide Course W.
 80.00 Set post Cor. to Sec. 12 & 13, from which

360

Sp. N. P. M. E. 2nd Mer. Indiana
ch. lly

a Hickory 12 in. dia. - bray S 26° W 11 lks. dist. of
a do. 16 " " " N 30° E 25 " "
Richhilly land, timber Sugar, Beech, Ash &c.

North On E. boundary of Sec. 12

30.50 at Beech 12 in. dia.

40.00 at gr. Sec. post, from which
a Walnut 14 in. dia. - bray N 73° W 23 lks. dist. of
a do. 12 " " " S 45° E 25 " "

41.00 at Brook 3 lks. wide Course N. W.

60.00 a Creek 40 " " " N.

65.00 a do. 50 " " " N.

80.00 at post Cor. to Sec. 1 & 12, from which
a Sugar 8 in. dia. - bray N 44° W 11 lks. dist. of
a Gum 30 " " " S 52° E 16 " "
Hilly rich land, timber Sugar, Ash &c.

North On E. boundary of Sec. 1

8.50 a Brook 5 lks. wide Cr. S. E.

13.30 a Hickory 18 in. dia.

32.50 an Ash 16 " "

40.00 at gr. Sec. post, from which (an Ash 5 in. in cor.)
an Elm 24 in. dia. - bray S 40° W 24 lks. dist. of
a Hickory 12 " " " S 50° E 35 " "

80.00 at post Cor. to Township 4 & 5 North, of
Range 11 & 12 East, from which
a W. Oak 30 in. dia. - bray S 24° E 14 lks. dist. of
a Beech 14 " " " West 18 " "
Over hilly rich land, timber Sugar, Ash, Hick &c.

North Boundary, Random line

East On S. boundary of Sec. 31, T. 5 N. R. 11 E.

30.00 a Brook 3 lks. wide Course S.

40.00 at temp. gr. Sec. post

52.00 a Creek 40 lks. wide Cr. N. E. kept down it crossing it.

65.00 leave the Creek running S. E.

361
T. S. N. E. 2^d. Mer. Indiana
ch. 1st

67.00 a Creek 50 lks. wide Course S.
80.00 Let tempy. Cor. to Sec. 31 & 32
Hilly, lowland, narrow bottom on Creek
timber Oak, Lym, Sugar, Dogwood &c.

East On S. boundary of Sec. 32, T. S. N. E.
40.00 Let tempy. Sec. post
61.00 a Brook 4 lks. wide Course S. E.
74.00 a Brook 4 lks. wide Course S.
80.00 Let tempy. Cor. to Sec. 32 & 33
Hilly rich land, timber Sugar, Elm, Ash &c.

East On S. boundary of Sec. 33, T. S. N. E.
7.00 a Creek 35 lks. wide Cr. S. W.
13.00 a Brook 3 " " " S. W.
37.00 a do. 3 " " " S. W.
40.00 Let tempy. gr. Sec. post
69.00 a Brook 3 lks. wide Course S. W.
72.00 a do 10 " " " S. W.
77.00 a do 10 " " " S. W.
80.00 Let tempy. Cor. to Sec. 33 & 34
Rich hilly land, timber Oak, Lym, Poplar &c

East On S. Boundary of Sec. 34, T. S. N. E.
3.00 a Brook 10 lks. wide Cr. S. W.
19.00 a do 6 " " " S. W.
35.00 a do 3 " " " S. W.
40.00 Let tempy. gr. Sec. post
46.00 a Spring Course S. W.
80.00 Let tempy. Cor. to Sec. 34 & 35
Rich hilly land, timber Oak, Beech, Poplar

East On S. boundary of Sec. 35, T. S. N. E.
36.50 a Brook 10 lks. wide Course S. E.
40.00 Let tempy. gr. Sec. post. Sept. 7. 1806
54.00 a Brook 3 lks. wide Course S. W.

362 T. S. N. E. 2nd Mer. Indiana
ch²lks

67.00 Indian Kentucky Cr. 250 lbs. wide C.P.S.

80.00 Let temp^y. Cor. to Sect. 35 & 36

Land timber &c. same as on last mile

East On S. boundary of Sec. 36, T. S. N. E.

31.00 a Brook 3 lks, wide Comse S. W.

40.00 Let temp^y. q. Sec. post

80.50 Intersected the Range line 50 lks. S. of the
Township Corner.

Hilly rich land, timber Sugar, Oak, beech

True line var. 5° 50' E.

West On S. boundary of Sec. 36, T. S. N. E.

40.00 Let q. Sec. post, from which

a Beech 14 in. dia. - bray S 34 E 8 lks. dist. of

a Do. 12 " " " N 85 W 32 " "

80.00 Let post Cor. to Sec. 35 & 36, from which

a Beech 14 in. dia. - bray S 87 W 25 lks. dist. of

a Sugar 16 " " " N 77 W 33 " "

West On S. boundary of Sec. 35, T. S. N. E.

40.00 Let q. Sec. post, from which

an Elm 10 in. dia. - bray S 64 W 8 lks. dist. of

a Walnut 16 " " " N 31 E " "

80.00 Let post Cor. to Sec. 34 & 35, from which

a W. Oak 14 in. dia. - bray S 53 W 20 lks. dist. of

a Do. 16 " " " North 22 " "

West On S. boundary of Sec. 34, T. S. N. E.

40.00 Let q. Sec. post, from which

a Hickory 12 in. dia. - bray S 7 E 36 lks. dist. of

a S. Oak 20 " " " N 22 E 43 " "

80.00 Let post Cor. to Sec. 33 & 34, from which

a Sugar 14 in. dia. - bray N 23 E 23 lks. dist. of

a Do. 10 " " " S 31 W 25 " "

T4 N. R. M. E. 2. Mer. Indiana 363

ch. ch.
West On S. boundary of Sec. 33, T5 N. R. M. E.
40.00 Set of Sec. post, from which
a Cypress 16 in. dia. bray N 63° 11' 13" W 13 ch. dist. of
an Elm 9 " " " S 67° E 10 " "
80.00 Set post Cor. to Sec. 32 & 33, from which
an Elm 12 in. dia. bray N 82° E 7 ch. dist. of
a Sugar 5 " " " S 67° 11' 17 " "

West On S. boundary of Sec. 32, T5 N. R. M. E.
40.00 Set of Sec. post, from which
a Sugar 12 in. dia. bray N 51° 11' 14" W 14 ch. dist. of
a W. Oak 8 " " " S 8° E 17 " "
80.00 Set post Cor. to Sec. 31 & 32, from which
a R. Oak 16 in. dia. bray N 81° 11' 27" W 27 ch. dist. of
an Ash 12 " " " S 60° E 29 " "

West On S. boundary of Sec. 31, T5 N. R. M. E.
40.00 Set of Sec. post, from which
a Sugar 12 in. dia. bray N 87° E 17 ch. dist. of
a Do. 8 " " " N 54° W 30 " "
80.50 to Township Corner.

West Boundary var. 5° 50' E.
North On E. boundary of Sec. 36, T4 N. R. M. E.
18.00 at Brook 3 ch. wide Course N.
28.60 at Beech 15 in. dia.
40.00 Set of Sec. post, from which
a Beech 15 in. dia. bray S 86° E 53 ch. dist. of
a Do. 16 " " " N 38° W 40 " "
80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 24 in. dia. bray S 43° W 41 ch. dist. of
a Do. 18 " " " N 27° E 47 " "
Over 1st rate land, timber Sugar, Ash, Buckeye &c.

North On E. boundary of Sec. 25, T4 N. R. M. E.
6.00 a Spring Course West

364

T^h 1st P^l E. 2^d Mer. IndianaCh^l 1st

10.00 a Sugar 8 mi. dist.

27.50 a Poplar 50 "

40.00 Set of Sec. post, from which
a Beech 14 mi. dist. bray N 24 E 10 Ch. dist. of
a Walnut 30 " " " S 71 W 25 " "

56.20 a Mulberry 12 " "

64.30 a Sugar 16 " "

72.00 a Brook 8 hrs. wide Cr. S. W.

80.00 Set post Cor. to Sec. 24 & 25, from which
a Beech 6 mi. dist. bray N 47 E 6 Ch. dist. of
a Do. 7 " " " S 67 W 10 "Generally level rich land, timber Sugar, ash
Poplar &c. September 6th 1806North On E. boundary of Sec. 24, T^h 4 N, R 10 E.

12.96 a Poplar 48 mi. dist.

23.20 a Sugar 14 " "

40.00 Set of Sec. post, from which
a Beech 40 mi. dist. bray N 25 W 5 Ch. dist. of
a Do. 6 " " " S 12 E 16 " "

50.70 a Beech 16 " "

68.00 a Brook 3 hrs. wide Cr. W.

80.00 Set post Cor. to Sec. 13 & 24 from which
a Poplar 36 mi. dist. bray S 85 W 34 Ch. dist. of
a Beech 16 " " " East 36 " "
Level rich land, timber Oak, Poplar & BeechNorth On E. boundary of Sec. 13, T^h 4 N, R 10 E

14.80 a Poplar 36 mi. dist.

31.00 a W. Oak 30 " "

33.00 a Spring East

40.00 Set of Sec. post, from which
a Spruce 18 mi. dist. bray S 24 E 11 Ch. dist. of
a W. Oak 36 " " " S 87 W 23 " "

56.00 a Spring East

59.80 a Poplar 40 mi. dist.

4th N.E. 2^d Mer. Indiana 365
ch. 2^d 1/2

80.00 Let post Cor. to Sec. 12 & 13, from which
a W. Oak 50 in. dia. - brang N 11 E 31 1/2 ly. dist. of
a Hickory 12 " " " South 45 " "
Land level rich, timber Beech, Poplar, Oak &c.

North On E. boundary of Sec. 12, 4th N. E. 2^d
34.80 a Beech 16 in. dia.

40.00 Let of Sec. post, which is a Dogw. 6 in. dia. from
which a Gum 14 in. dia. brang N 75 E 36 1/2 ly. dist. of
a Dogw. 5 " " " S 56 N 30 " "

53.14 a Poplar 36 " "

80.00 Let post Cor. to Sec. 1 & 12, from which
a Poplar 20 in. dia. brang S 77 E 10 1/2 ly. dist. of
a Dogw. 6 " " " S 42 N 11 " "
Land & timber &c. same as on last mile

North On E. boundary of Sec. 1, 4th N. E. 2^d
11.87 a R. Oak 18 in. dia.

31.70 a Sugar 12 " "

40.00 Let of Sec. post, from which
a Hickory 12 in. dia. brang S 9 E 27 1/2 ly. dist. of
a Dog. 12 " " " S 42 N 35 " "

57.80 a Sugar 10 " "

58.00 a Creek 40 ly. wide comes E.

67.50 a Brook 3 ly. " " S. E.

80.00 Let post Cor. to Township 4 & 5 North, of
Range 10 & 11 East, from which
a R. Oak 24 in. dia. brang N 46 W 16 1/2 ly. dist. of
a Dog. 16 " " " S 35 E 42 " "

First 1/2 generally good land Oak, Hickory &c
Last 1/2 mile poor hilly land, Oak, Dogwood &c.

Surveyed in 1806 by

Alexander Holmes,

Deputy Surveyor

Comp

Subdivision.

366 Sp N R M E. 2nd Mer. Indiana
ch. lch

October 13th 1886. var. 5° 25' E
North Between Secs. 35 & 36

22.40 a Beech 12 mi. dist.

28.00 a stream 6 lch. wide Course E.

40.00 Set gr. Sec. post, from which
a W. Oak 6 mi. dist. bearing S 32 1/2° W 20 lch. dist. of
a Hickory 15 " " " N 5 E 20 " "
This 1/2 mile very hilly, soil rich, timber Beech
Ash, Lyrn &c.

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Blue Ash 36 mi. dist. bearing S 22 E 15 lch. dist. of
an Ironwood 4 " " " N 45 W 11 " "
This half mile hilly, ground rich timber Beech
ash &c.

East On Contm. between Secs. 25 & 36

40.00 Set temp. gr. Sec. post

80.45 Intersected Co. boundary 64 lch. N. of post
Over hilly land soil rich, timber Beech, ash
Oak &c.

West Corrected between Secs. 25 & 36

40.22 Set gr. Sec. post at average dist. from which
a W. Oak 18 mi. dist. bearing West 34 lch. dist. of
a B. Ash 15 " " " S 7 W 34 " "

60.22 a Beech 14 " "

80.45 to Sec. Corner.

North Between Secs. 25 & 26

40.00 Set gr. Sec. post, from which
a B. Ash 18 mi. dist. bearing N 6 W 20 lch. dist. of
a Blue Ash 15 " " " S 7 W 34 " "
Land hilly very good Ash timber

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
a W. Oak 18 mi. dist. bearing N 38 W 22 lch. dist. of
a Beech 16 " " " S 62 E 29 " "

367

L. N. R. M. E. 2nd Mer. Indiana
ch. 1st 1/2 mi
This half mile very hilly timber Beech, Oak &c.

East of Rand^m. between Secs. 24 & 25
37.00 Indian Kentucky Cr. 200 lbs. wide Cr. S.
40.00 Set temp^y. of Sec. post
80.60 Intersected E. boundary 37 mi. S. of post
First 1/2 mile level Beechland, last 1/2 hilly
poor land, timber Beech & Oak

West Connected between Secs. 24 & 25
40.30 Set of Sec. post at average dist. from which
a Maple 30 in. dia. (brang S 3 E 20 mi. dist. of
a Hackberry 5 " " " N 46 E 8 " "
80.60 to Sec. Corner. Oct. 14th 1876

West Between Secs. 26 & 35
10.20 a Beech 9 in. dia.
40.00 Set of Sec. post, from which
a Hackberry 6 in. dia. (brang S 84 E 11 mi. dist. of
a Do. 7 " " " N 32 W 35 " "
This 1/2 mile hilly, timber Beech, Ash &c.
80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
a Sugar 12 in. dia. (brang S 5 E 35 mi. dist. of
a Do. 9 " " " N 32 W 24 " "
This last 1/2 mile hilly, timber Beech, Ash, Oak &c.

South Between Secs. 34 & 35
40.00 Set of Sec. post, from which
a W. Walnut 22 in. dia. (brang S 80 W 3 mi. dist. of
a Hackberry 10 " " " West 36 " "
65.50 Intersected the Ohio River, Set post, from which
a Maple 15 in. dia. (brang S 55 W 6 mi. dist. of
a Do. 12 " " " N 55 E 15 " "
Land very hilly, timber, Beech, Ash &c.
the last part over very high hills, with cliffs of
rock, which appear to be of good quality for lime stone,

368 East R M Co. Ind. Mer. Indiana

ch. 6th
West Between Secs. 27 & 34

26.15 a W. Ash 10 in. dia.

40.00 Set of Sec. post, from which
a B. Ash 30 in. dia. bray S 87 W 43 in. dia. of
a B. Walnut 42 " " " N 8 E 48 " "

This 1/2 mile very hilly soil rich good ash
& Walnut timber

80.00 Set post Cor. to Secs. 27, 28, 33 & 34, from which
a Sugar 15 in. dia. bray S 31 W 8 in. dia. of
a K. Elm 9 " " " N 17 E 37 " "
This 1/2 mile hilly timber Beech, Ash, Oak &c.

South Between Secs. 33 & 34

40.00 Set of Sec. post, from which
a Hackberry 14 in. dia. bray S 62 E 43 in. dia. of
a Hickory 24 " " " S 44 W 46 " "

59.00 Enter the Ohio River Set post, from which
a Sugar 12 in. dia. bray S 65 W 16 in. dia. of
a Do. 18 " " " S 65 E 19 " "

Very high hills, cliffs of rock of a Grind Stone
quality with Red Cedar trees. Oct. 14th 1806

West Between Secs. 28 & 33

34.00 a Beech 10 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 15 in. dia. bray N 73 E 18 in. dia. of
a Do. 17 " " " S 13 W 11 " "

Hilly timber Beech, Ash, Oak &c.

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 36 in. dia. bray S 24 E 22 in. dia. of
a W. Walnut 18 " " " N 24 W 37 " "
This 1/2 mile hilly, timber Beech, Ash, Oak &c

South Between Secs. 32 & 33

40.00 Set of Sec. post, from which

a Hickory 14 in. dia. bray S 62 E 27 in. dia. of

St. V. M. E. 2nd Mer. Indiana 369
chills

a B. Haw 5 in. dia. bears N 62 W 11 lbs. dist. 4
68.00 Intersected the Ohio river Set post, from which
a H. Lous 12 in. dia. bears N 65 E 34 lbs. dist. 4
a Beech 15 " " " S 65 W 64 " "
Over Hilly Land timber Ash, Oak, Beech &c.

North Between Secs. 31 & 32

20.15 a Beech 10 in. dia.
40.00 Set of Sec. post, from which
a W. Oak 18 in. dia. bears S 89 E 20 lbs. dist. 4
a W. Elm 14 " " " N 89 W 42 " "
80.00 Set post Cor. to Secs. 29, 30, 31, & 32, from which
a W. Oak 14 in. dia. bears S 42 E 6 lbs. dist. 4
a W. 16 " " " N 57 W 46 " "
Hilly Land Beech Oak &c.

East On Land^m between Secs. 29 & 32

40.00 Set temp. of Sec. post, from which
80.82 Intersected the N. of S. line 20 lbs. N. of post
Over hilly land timber Beech, Oak, Ash &c.

West Connected between Secs. 29 & 32

40.41 Set of Sec. post at average dist. from which
a Beech 18 in. dia. bears S 74 W 20 lbs. dist. 4
a do. 18 " " " N 74 E 12 " "
80.82 to Sec. Corner Oct. 15th 1806

West Between Secs. 30 & 31

40.00 Set of Sec. post, from which
a W. Elm 14 in. dia. bears S 32 W 20 lbs. dist. 4
a Sugar 12 " " " N 23 W 31 " "
78.75 Intersected N. boundary at the post
First 1/2 mile hilly - last 1/2 mile level rich
land, timber Beech, Ash, Poplar &c

North Between Secs. 26 & 27

T^h N. R. M. E. 2^d Mer. Indiana

ch. lly

30.00 a W. Oak 11 in. dia.

40.00 Set q. Sec. post, from which
a W. Oak 6 in. dia. bray N 67 E 31 lly. dist. of
a Hackberry 12 " " " N 23 W 22 " "

Very hilly Soil rich, timber Beech, Ash &c.

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
a Red Elm 16 in. dia. bray N 24 E 28 lly. dist. of
a Do. 8 " " " S 57 W 20 " "
Very hilly Soil rich, timber Beech, Ash, Oak &c.East Out Rand^m. between Secs. 23 & 2640.00 Set temp^y. q. Sec. post

80.00 Intersected the N & S. line at the post

This mile hilly poor land, timber Beech
Ash, Sycamore &c. underg^d. Spruce. Oct. 16th 1806

West Corrected between Secs. 23 & 26

40.00 Set q. Sec. post at average dist. from which
a Sugar 15 in. dia. bray South 8 lly. dist. of
a Hickory 15 " " " N 15 W 10 " "

80.00 to Sec. Corner

North Between Secs. 23 & 24

40.00 Set q. Sec. post, from which
a W. Elm 36 in. dia. bray N 60 E 24 lly. dist. of
a H. Locust 8 " " " South 19 " "

45.50 Indian Kentucky Cr. 200 lly. wide Cr. S. E.

80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which
a Sugar 6 in. dia. bray N 31 W 6 lly. dist. of
a Do. 6 " " " S 31 E 12 " "

This mile hilly poor land rich soil.

East Out Rand^m. between Secs. 13 & 2440.00 Set temp^y. q. Sec. post80.34 Intersected E. boundary 40 lly. N. of post
Land timber &c. same as on last mile

371

Sp. N. R. M. E. 2.nd Mer. Indiana

ch. 2th

West Connected between Secs. 13 & 24

40.17 Set q. Sec. post at average dist. from which
a Lym 16 in. dia. bran N 18 W 2th dist. 9
a Sugar 10 " " " N 18 E 14 " "

80.34 to Sec. Corner

North Between Secs. 13 & 14

35.00 a stream 100 lks. wide Cr. S. W.

40.00 Set q. Sec. post from which
a Sugar 10 in. dia. bran N 24 W 5th dist. 9
a Walnut 5 " " " N 24 E 5 " "

80.00 Set post Cor. to Secs. 11, 12, 13 & 14 from which
a W. Oak 10 in. dia. bran N 44 W 15 lks. dist. 9
a Do. 9 " " " N 26 W 15 " "

This mile broken land soil poor timber Beech
and Oak

East On Rand^m. between Secs. 12 & 13

36.50 a stream 50 lks. wide Cr. S. W.

40.00 Set temp. q. Sec. post

80.55 intersected the E. boundary at the post
Over hilly land, timber Beech & Oak, soil poor

West Connected between Secs. 12 & 13

40.27 Set q. Sec. post at average dist. from which
a W. Ash 9 in. dia. bran N 55 W 21 lks. dist. 9
a hawwood 4 " " " N 55 E 12 " "

80.55 to Sec. Corner Oct. 17th. 1806

North Between Secs. 22 & 23

26.00 a Beech 15 in. dia.

38.50 Indian Kentucky Cr. 100 lks. wide S. E.

40.00 Set q. Sec. post from which
a Beech 24 in. dia. bran N 75 E 11 lks. dist. 9
a Do. 9 " " " N 75 W 10 " "

This 1/2 mile broken land,

372

St N W E. 2nd Mer. Indiana

ch. l. l. l.

80.00 Set post Cor to Secs. 14, 15, 22 & 23, from which
a Beech 30 in. dia. - bray S 72° 13' 33" W 33 l. m. dist. of
a Do. 9 " " " N 72° 6' 9" W 9 " "
This mile Broken, timber Beech, Ash, Oak &c

East On Rand^m. between Secs. 14 & 23

40.00 Set temp^y. gr. Sec. post

80.00 Intersected the N & S. line 35 l. m. N. of post
Land broken, timber Beech, Ash, Oak &c.

West Corrected between Secs. 14 & 23

40.00 Set gr. Sec. post at average dist. from which
a Sugar 12 in. dia. - bray N 77° 18' 18" W 18 l. m. dist. of
a Beech 15 " " " S 21° 26' 26" W 26 " "

48.00 a Do. 16 " "

80.00 to Sec. Corner Oct. 20th 1826

North Between Secs. 14 & 15

35.00 to E. Fork of Indian Kentucky 100 l. m. wide cr. N.

40.00 Set gr. Sec. post, from which
a Beech 36 in. dia. - bray S 44° 40' 40" W 40 l. m. dist. of
a W. Oak 12 " " " N 46° 36' 36" W 36 " "

77.50 Came to the bank of the above Cr. but did not cross it.

80.00 Set post Cor to Secs. 10, 11, 14 & 15, from which ^[Course S 20° E]
a Sycamore 15 in. dia. - bray N 19° 17' 17" E 17 l. m. dist. of
an Elm 10 " " " South 26 " "
Land Broken, timber Beech, Oak &c

East On Rand^m. between Secs. 11 & 14

2.00 a Creek 100 l. m. wide Course S 40° E.

40.00 Set temp^y. gr. Sec. post

80.20 Intersected the N & S. line at the post
Land timber &c. Same as on last mile

West Corrected between Secs. 11 & 14

40.10 Set gr. Sec. post at average dist. from which

373
L & N P M E. 2nd Mer. Indiana
ch. l. l.

a Beech 9 in. dia. bray N 4 W 12 l. br. dist. 3
a W. Walnut - " " " N 4 E 24 " "
67.00 a Beech 10 " " "
80.20 to Sec. Corner. Oct. 21st 1806

North Between Secs. 27 & 28

40.00 Set q. Sec. post, from which
a W. Walnut 12 in. dia. bray N 62 W 15 l. br. dist. 3
a Hickory 12 " " " N 54 E 12 " "
80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
a W. Ash 12 in. dia. bray N 58 W 45 l. br. dist. 3
a Do. 15 " " " N 58 E 19 " "
Hilly land, timber Beech Oak &c

East On Road^m. between Secs. 22 & 27

40.00 Set temp. q. Sec. post
79.56 Intersected the N & S. line 150 l. S. of post
First 1/2 mile hilly land timber Beech, Oak &
chest. Oak, soil poor, covered with grubbing
last 1/2 over bad hills covered with grubbing

West Connected between Secs. 22 & 27

39.78 Set q. Sec. post at average dist. from which
a Hackberry 6 in. dia. bray N 30 E 8 l. br. dist. 3
a W. ash 12 " " " N 30 W 11 " "
79.56 to Sec. Corner

North Between Secs. 21 & 22. Oct. 22nd 1806

16.00 a Beech 16 in. dia.
40.00 Set q. Sec. post, from which
a Sugar 8 in. dia. bray N 12 W 11 l. br. dist. 3
a Blue Ash 27 " " " N 12 E 37 " "
80.00 Set post Cor. to Secs. 15, 16, 21 & 22 from which
a W. Ash 18 in. dia. bray N 21 W 21 l. br. dist. 3
a Blue Ash 12 " " " N 21 E 3 " "
Hilly Good land, timber Ash, Sugar &c.

374

S. St. N. E. 2^d. Mer. Indianachth
East On Rand^m. between Secs. 15 & 2240.00 Let temp^y. of Sec. post52.00 to N. Fork of Indian Kentucky 100th. wide S.81.40 Intersected the S & S. line 58th. S. of post

First 1/2 mile hilly rich Oak & Beech timber

last 1/2 level bottom land Beech, ash & B. Walnut

Met Corrected between Secs. 15 & 22

40.70 Let of Sec. post at average dist. from which
a W. Oak 36 in. dia. bray S 12 E 19th. dist.
a R. Elm 7 " " " N 14 W 4 " "

81.40 to Sec. Corner

North Between Secs. 15 & 16

40.00 Let of Sec. post, from which
a Beech 12 in. dia. bray N 42 E 14th. dist. of
a Do. 9 " " " N 42 W 12 " "76.00 a N. Fork of Indian Kentucky 100th. wide S. E.

80.00 Let post Corrs to Secs. 9, 10, 13 & 16, from which

a Sugar 12 in. dia. bray N 12 E 8th. dist. of

a Do. 36 " " " N 12 W 31 " "

Hilly, Oak & Beech timbered land

East On Rand^m. between Secs. 10 & 1540.00 Let temp^y. of Sec. post

80.12 Intersected the S & S. line at the post

over hilly rich land, timber Beech, ash, hick.

Met Corrected between Secs. 10 & 15

40.06 Let of Sec. post at average dist. from which

a Sugar 8 in. dia. bray S 33 W 61th. dist. of

a B. Oak 4 " " " " N 33 E 8 " "

80.12 to Sec. Corner

North Between Secs. 28 & 29

40.00 Let of Sec. post, from which

4th N.E. 2nd Mer. Indiana 375
ch²th

a Sugar 5 in. dia^r, bran East 13th dist, &
a Dogwood 4 " " N 46 W 13 "
Very hilly land soil poor timber Beech
80.00 Let post Cor. to Secs. 20, 21, 28 & 29, from which
a Sugar 8 in. dia^r, bran N 48 E 29th dist, &
a W. Elm 14 " " " N 78 W 11 " "
Poor hilly land timber as above Oct. 23rd 1806

East Out Land^m. between Secs. 21 & 28
40.00 Let temp^y. g^r. Sec. post
80.00 Intersected the N & S line at the post.
Land timber &c. same as on last mile

West Corrected between Secs. 21 & 28
40.00 Let g^r. Sec. post at average dist. from which
a Hickory 7 in. dia^r, bran S 87 W 26th dist, &
a W. Oak 24 " " " N 87 E 14 " "
80.00 to Sec. Corner.

North Between Secs. 20 & 21
40.00 Let g^r. Sec. post, from which
a Blue Ash 7 in. dia^r, bran S 75 W 8th dist, &
a Hickory 15 " " " N 41 E 32 "
80.00 Let post Cor. to Secs. 16, 17, 20 & 21, from which
a Hickory 6 in. dia^r, bran N 41 W 12th dist, &
a Beech 12 " " " N 41 E 31 " "
Broken heavy Beech & Oak land

East Out Land^m. between Secs. 16 & 21
40.00 Let temp^y. g^r. Sec. post
80.10 Intersected the N & S line 68th S. of post
First 1/2 hilly rich soil, Beech, Ash & Walnut
last 1/2 over broken rich land, Oak, Ash, Walnut
& Beech timber, endingth Spruce.

West Corrected between Secs. 16 & 21

376 S. N. W. E. 2^d Mer. Indiana
chth

40.05 Set of Sec. post, at average dist. from which
a Beech 15 in. dia. - bray N 60° W 20 ch. dist. of
a Do. 5 " " " N 60° E 5 " "
80.10 to Sec. Corner

North Between Secs. 16 & 17

40.00 Set of Sec. post, from which
a P. Elm 9 in. dia. - bray South 37 ch. dist. of
a W. Oak 7 " " " North 10 " "

56.00 a Beech 11 " "

80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which
a Beech 14 in. dia. - bray N 84° E 20 ch. dist. of
a Hickory 13 " " " N 64° W 23 " "
Broken Beech & Oak land Oct. 23rd 1806

October 24th 1806

East On Rand^m between Secs. 9 & 16

40.00 Set temp^y of Sec. post

61.00 to E. branch of Indian Kentucky 100 ch. wide S 65° W

79.94 Intersected the N & S line 40 ch. N. of post
First 1/2 mile rolling Beech & oak land
last 1/2 mile level bottom Beech, Lycamow &c.

West Corrected between Secs. 9 & 16

39.97 Set of Sec. post at average dist. from which
a P. Oak 14 in. dia. - bray N 76° E 2 ch. dist. of
a Sugar 10 " " " N 76° W 11 " "

79.94 to Sec. Corner

North Between Secs. 29 & 30

40.00 Set of Sec. post, from which
a Sugar 6 in. dia. - bray N 87° W 9 ch. dist. of
a Do. 5 " " " N 36 1/2° E 36 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
a Spanish Oak 18 in. dia. - bray N 84 1/2° E 44 ch. dist. of
a Beech 6 " " " N 84° W 4 " "

L. N. P. M. E. I. Mer. Indiana 377
Cherry
 Hilly land timber Beech, Oak &c

East On Land^m between Dec. 20 & 29

40.00 Set temp^y. gr. Sec. post
 80.00 Intersected the N. & S. line at the post
 First 1/2 mile good level rich land, timber Beech
 Poplar, Walnut - last 1/2 some broken soil rich
 timber same as on first 1/2 mile

West Corrected between 20 & 29

40.00 Set gr. Sec. post, at average dist. from which
 a Sugar 5 in. dia. bran S 67 W 30 lks. dist. of
 at Beech 40 " " " N 6 E 28 " "
 80.00 to Sec. Corner.

West Between Dec. 19 & 30

40.00 Set gr. Sec. post, from which
 at Beech 7 in. dia. bran S 12 W 9 lks. dist. of
 a do. 24 " " " N 12 E 44 " "
 Sand Broken, timber Beech, Oak &c
 79.10 Intersected N. boundary at the post
 Over level rich land, timber, Beech, Poplar
 Walnut, Oak, Buckeye &c first rate

North Between Dec. 19 & 20

20.00 a W. Oak 15 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar 7 in. dia. bran S 58 E 20 lks. dist. of
 at Beech 8 " " " N 58 W 6 " "
 80.00 Set post Cor. to Dec. 17, 18, 19 & 20, from which
 at Beech 16 in. dia. bran S 53 W 23 lks. dist. of
 a Hickory 18 " " " N 19 E 21 " "
 First 1/2 mile some broken rich soil timb. Poplar
 last level rich land, Oak, Beech, Poplar &c.

East On Land^m between Dec. 17 & 20

378

Twp. 12 E. 2 N. Mer. Indiana

ch. 1/2 m.

40.00 Set temp. 4. gr. Sec. post

79.60 Intersected the N & S. line 20 hrs. N. of post
Land broken soil rich, timber Beech, Poplar &c

West Corrected between Sec. 17 & 20

39.80 Set gr. Sec. post at average dist. from which
a Sugar 8 in. dia. bray N 3 E 44 hrs. dist. of
a Blue Ash 9 " " " N 37 W 10 " "79.60 to Sec. Corner. Oct. 24th 1806November 11th 1806

West Between Sec. 18 & 19

40.00 Set gr. Sec. post, from which
a Gum 12 in. dia. bray S 7 E 50 hrs. dist. of
a Beech 12 " " " S 27 W 17 " "79.20 Intersected the W. boundary 5 hrs. N. of corner
lay at the corner. Land good level & rich,
timber Beech, Poplar, Ash, Walnut &c

North Between Sec. 17 & 18

40.00 Set gr. Sec. post, from which
a W. Oak 9 in. dia. bray West 19 hrs. dist. of
an Ironwood 6 " " " East 13 " "

This 1/2 mile is Broken Beech land

80.00 Set post Cor. to Sec. 17, 8, 17 & 18, from which
a W. Elm 6 in. dia. bray N 41 W 5 hrs. dist. of
a W. ash 2 " " " N 41 E 10 " "

This 1/2 mile fully Beech land

East On Land 8 m. between Sec. 8 & 17

40.00 Set temp. 4. gr. Sec. post

81.10 Intersected the N & S. line at the post
Very hilly, timber Beech, Oak &c.

West Corrected between Sec. 8 & 17

40.55 Set gr. Sec. post at average dist. from which

S. N. R. M. E. 2nd Mer. Indiana 379
ch. 1/4

a Spruce 24 in dia. bear North 7/4. dist of
 a Do 12 " " " South 11 " "
 65.10 a W. Ash 14 " "
 81.10 to Sec. Corner.

West Between Sec. 7 & 18

40.00 Let gr. Sec. post, from which
 a Beech 11 in. dia. bear N 67 W 20/4. dist. of
 a Do. 9 " " " S 67 E 15 " "
 79.30 Intersected N. boundary 10/4. N. of post
 Let post Cor. to Sec. 7 & 18, (the bearing trees
 omitted) Good level land, timber Poplar,
 Ash, Beech &c. First 1/2 mile broken Beech
 and Poplar land

North Between Sec. 11 & 12

40.00 Let gr. Sec. post, from which
 a Sugar 13 in. dia. bear West 10/4. dist. of
 a W. Walnut 7 " " " S 53 E 24 " "
 80.00 Let post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 27 in. dia. bear N 73 E 11/4. dist. of
 a Do. 18 " " " S 73 W 12 " "
 This mile Broken Beech land

East On Land between Sec. 11 & 12

40.00 Let temp. gr. Sec. post
 80.20 Intersected E. boundary at the post
 Over hilly Oak & Beech, timbered land

West Corrected between Sec. 11 & 12

40.10 Let gr. Sec. post at average dist. from which
 a Beech 9 in. dia. bear N 79 W 6/4. dist. of
 a Dogw. 7 " " " S 79 E 45 " "
 80.20 to Section Corner.

North Between Sec. 11 & 12

380

L. N. V. M. E. 2nd Mer. Indiana

ch. l. l. l.

- 40.00 At gr. Sec. post, from which
a Cym 12 in. dia. bray N 31 E 45 l. l. dist. of
a Hickory 12 " " " S 31 W 14 " "
- 78.00 Intersected N. boundary 30 l. l. N. of post
At post Cor. to Sec. 1 & 2, from which
a Dogwood 4 in. dia. bray N 20 E 20 l. l. dist. of
a L. Co. 3 " " " S 30 E 30 " "
- Hilly land timber Beech & oak

North & Between Sec. 10 & 11

- 14.00 a Stream 100 l. l. wide Cr. S. E.
- 40.00 At gr. Sec. post, from which
a Beech 30 in. dia. bray N 53 E 1 l. l. dist. of
a L. Co. 5 " " " S 53 W 27 " "
- 45.10 a Creek 100 l. l. wide Cr. W.
- 80.00 At post Cor. to Sec. 2, 3, 10 & 11, from which
a Red Oak 8 in. dia. bray S 51 W 3 l. l. dist. of
a L. Co. 9 " " " N 51 E 11 " "
- First half level Beech & Oak land. Last
half Broken, Beech & Oak timbered land

East On Land, between Sec. 2 & 11

- 20.00 to E. branch of Indian Kentucky Cr 100 l. l. wide S.
- 40.00 At temp. gr. Sec. post
- 80.00 Intersected the N & S line at the post
Part level & part Broken land, timber Beech

West Corrected between Sec. 2 & 11

- 40.00 At gr. Sec. post at average dist. from which
a Beech 10 in. dia. bray N 20 E 12 l. l. dist. of
a L. Co. 4 " " " S 36 W 20 " "
- 80.00 to Sec. Corner

North & Between Sec. 2 & 3

- 20.05 a Beech 10 in. dia.
- 40.00 At gr. Sec. post, from which

Sp. N. R. M. E. D. Mer. Indiana 381
Ch. H. K.

at Blue Ash 4 in. dia. bear S 55 E 5 1/2 m. dist. of
a Do. 4 " " " N 35 W 15 " "
77.17 Intersected N. boundary at the post
Hilly land soil poor timber Beech, Oak &c
November 13th 1886

North Between Sect. 9 & 10

40.00 Set of Sec. post, from which
a Hickory 7 in. dia. bear S 70 W 18 1/2 m. dist. of
a R. Elm 4 " " " N 70 E 11 " "
80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
a Sugar 12 in. dia. bear S 48 W 13 1/2 m. dist. of
a Hickory 18 " " " N 48 E 10 " "
Very hilly, poor land, timber Beech, Oak &c

East On Road between Sect. 3 & 10

40.00 Set temp. of Sec. post, from
80.00 Intersected the N & S line 60 m. S. of post
Land timber &c. Same as on last mile soil poor

West Connected between Sect. 3 & 10

40.00 Set of Sec. post at average dist. from which
a Sugar 8 in. dia. bear South M. K. dist. of
a Do. 9 " " " North 24 " "
63.00 a M. Oak 20 " "
80.00 to Sec. Corner

North Between Sect. 3 & 4

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bear N 12 E 18 1/2 m. dist. of
a Lym 4 " " " S 12 W 22 " "
77.10 Intersected N. boundary at the post
Bad hills, soil poor, timber Beech, Oak &c

North Between Sect. 8 & 9

40.00 Set of Sec. post, from which

382

L. N. F. M. E. D. Mer. Indiana
ch. 1/2

a Sugar 9 in. dia. bray S 34 N 25 lbr. dist. of
a Do. 5 " " " S 35 E 4 " "
52.50 to W. Fork of Indian Kentucky 100 lbr. wide E.
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
an Ironwood 6 in. dia. bray N 46 E 8 lbr. dist. of
a Do. 5 " " " S 9 N 13 " "
Broken land timber, Beech, Oak, ash &c.

East Ont. Land between Sec. 4 & 9

40.00 Set temp. q. Sec. post
78.80 Intersected the N. & D. line at post
Over Broken Beech & Oak land

West Cor. between Sec. 4 & 9

39.40 Set q. Sec. post at average dist. from which
a Beech 3 in. dia. bray S 49 E 14 lbr. dist. of
a Do. 12 " " " N 49 W 15 " "
78.80 to Sec. Corner November 13th 1806

North Between Sec. 4 & 5

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bray N 74 W 22 lbr. dist. of
a Do. 12 " " " S 74 E 15 " "
75.00 a Branch of Indian Ky. 50 lbr. wide Cor. S. W.
76.60 Intersected N. boundary 100 lbr. E. of post
a Beech 10 in. dia. is marked for Cor. to
Sec. 4 & 5. Land timber &c. same as last mile

North Between Sec. 7 & 8

40.00 Set q. Sec. post, from which
a Hickory 12 in. dia. bray N 61 W 11 lbr. dist. of
a Beech 9 " " " N 61 E 21 " "
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Sugar 6 in. dia. bray S 89 W 22 lbr. dist. of
a Beech 16 " " " N 80 E 23 " "
Land hilly timber Beech Oak &c.

S. N. R. M. E. D. Mer. Indiana 383

ch. P. 6th

East On Land^m between Sec. 5 & 8

40.00 At temp. of Sec. post

55.00 to W. branch of Indian Ry. Cr. 100 Ch. wide S 20 E

81.00 Intersected the W. line at the post

Over Broken Rock timbered land last
1/2 mile level bottom land, Beech, Oak, Oak &c.

West Corried between Sec. 5 & 8

40.50 At of Sec. post at average dist. from which
a Red Elm 8 in. dia. (ray N 9 1/2 W 1/2 Ch. dist. of
a Sugar 10 " " " N 2 E 31 " "

66.00 a Beech 15 " "

81.00 to Sec. Corner

West Between Sec. 6 & 7

40.00 At of Sec. post, from which
a Hickory 12 in. dia. (ray N 4 W 1/2 Ch. dist. of
a Do. 4 " " " N 4 E 7 " "

79.50 Intersected N. boundary at the post

Over Broken land timber (Beech, Oak &c.
undergrowth green briar

North Between Sec. 5 & 6

40.00 At of Sec. post, from which
a Beech 12 in. dia. (ray N 5 W 10 Ch. dist. of
a Do. 8 " " " N 15 E 28 " "

62.00 to W. branch Indian Ry. 100 Ch. wide Cr. S. E.

77.00 Intersected the N. boundary at the post

Over Broken land, Beech Oak &c.

November 14th. 1806

Surveyed By

Emmanuel Vantreesse,

Deputy Surveyor Esq.

384

T. N. N. E. 2nd Mer. Indiana

Meander of the Ohio River in Town
4 N. Range N. E. Commencing at a post
in S. boundary in Sec. 35, thence down
Stream in Sec. 35

N 75° W 37.00

N 79° W 25.75 to line between Sec. 34 & 35

N 79° W 20.00 in Sec. 34

N 82° W 30.75

S 87° W 30.00 to line between Sec. 33 & 34

S 87° W 40.00 in Sec. 33

S 80 1/4° W 40.60 to line between Sec. 32 & 33

S 79° W 17.50 in Sec. 32

S 65° W 20.50 to where the Ex. N. Town line comes
to the River.

Emmanuel Vantreesse, L. S.

I certify, Certify that the foregoing transcript of field
notes of Township N. 4 North, of Range N. 11 East 2nd
Meridian Indiana, has been compared with the
Original notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Nov. 10, 1842

William Poppleton
Sur. Genl.